

**REAL HERO
REAL STEEL**



SHREE
TMT **XTRA 550**

Double Strength X Ribbed Bars



SHREE **XTRA** 550
TMT

Double Strength X Ribbed Bars

DEVASHREE ISPAT (P) LTD.

An ISO 9001:2015 Certified Company



www.shreetmt.com

Distribution Channel Partner



HIRAWAT STEEL PVT. LTD.

Balkampet, Hyderabad.

Tel: 040-2370 3988, 2370 2528

Email: hirawatsteel.p.ltd@gmail.com

Unmatched Since 31 Years, Trusted Forever

Mechanical properties of TMT bar as per IS: 1786 - 2008

Grade	Fe 415	Fe 500	Fe 550	SHREE TMT XTRA
Yield stress (n/sq.mm)	>415	>500	>550	>550
Tensile strength (n/sq.m)	>485	>545	>585	>640
Elongation %	>14.5%	>12%	>10%	>16%

Chemical properties of TMT bar as per IS: 1786 - 2008

Grade	Fe 415	Fe 500	Fe 550	SHREE TMT XTRA
Carbon %	<0.30%	<0.30%	<0.30%	<0.25%
Sulphur %	<0.060%	<0.055%	<0.055%	<0.050%
Phosphorus %	<0.060%	<0.055%	<0.050%	<0.050%
Sulphur & phosphorus %	<0.11%	<0.105%	<0.10%	<0.10%
Manganese %	0.5% to 1.0%	0.5% to 1.0%	0.5% to 1.0%	0.5% to 1.0%
CE %	<0.42%	<0.42%	<0.42%	<0.40%

Saving in weight and cost of construction by Shree TMT Xtra 550 TMT Bars

Grade	TMT Fe 415	TMT Fe 500	SHREE TMT XTRA Fe 550
Design strength	415 N/mm ²	500 N/mm ²	550 N/mm ²
Quantity required	1,000 MT	0.854 MT	0.809 MT
% of saving in weight		14.6%	19.15%